


Rozdział 1

Nr kat. 155

Zlewki niskie z wylewem

ISO 3819, DIN 12 331




Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 550 001	411 010 005	5	22/30	10
S01 550 003	411 010 010	10	26/35	10
S01 550 009	411 010 025	25	34/50	10
S01 550 017	411 010 050	50	42/60	10
S01 550 029	417 010 100	100	50/70	10
S01 550 041	417 010 150	150	60/80	10
S01 550 053	417 010 250	250	70/95	10
S01 550 061	417 010 400	400	80/110	10
S01 550 065	417 010 600	600	90/125	10
S01 550 069	417 010 800	800	100/135	10
S01 550 073	417 010 940	1000	105/145	10
S01 550 075	417 010 950	2000	130/185	10
S01 550 077	411 010 952	3000	150/210	4
S01 550 081	411 010 956	5000	170/270	2
S01 550 083	411 010 966	10000	215/550	1

Nr kat. 153

Zlewki wysokie z wylewem


ISO 3819, DIN 12 331




Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 530 009	411 012 025	25	30/55	10
S01 530 017	411 012 050	50	38/70	10
S01 530 029	417 012 100	100	48/80	10
S01 530 041	417 012 150	150	54/95	10
S01 530 053	417 012 250	250	60/120	10
S01 530 061	417 012 400	400	70/130	10
S01 530 065	417 012 600	600	80/150	10
S01 530 069	417 012 800	800	90/175	10
S01 530 073	417 012 940	1000	95/180	10
S01 530 075	417 012 950	2000	120/240	10
S01 530 077	411 012 952	3000	135/280	6

Nr kat. 155/A

Zlewki niskie z uchem



Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 540 053	417 091 250	250	70/95	6
S01 540 061	417 091 400	400	80/110	6
S01 540 065	417 091 600	600	90/125	6
S01 540 073	417 091 940	1000	105/145	2



Nr kat. 161


Zlewki Philipsa, niskie z wylewem

PN 70 0122 87


Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S01 610 041	411 006 150	150	57/91	40	10
S01 610 053	411 006 250	250	68/110	48	10
S01 610 063	411 006 500	500	88/145	61	10
S01 610 073	411 006 940	1000	112/184	70,5	10

Nr kat. 165**Zlewki do analizy cukru****PN 70 4033 66**


Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	d ₁ mm	Ilość w opakowaniu
S01 650 051	411 008 200	200	71/100	64	24
S01 650 055	411 008 300	300	80/115	73	12


**Nr kat. 2540****Naczynie filtracyjne cylindryczne,
grubościenne z wylewem**

Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S25 400 029	499 001 100	100	50/85	15
S25 400 053	499 001 250	250	65/110	15
S25 400 063	499 001 500	500	80/140	9
S25 400 073	499 001 940	1000	95/175	9
S25 400 075	499 001 950	2000	120/220	6
S25 400 077	499 001 952	3000	135/255	4
S25 400 081	499 001 956	5000	165/310	4
S25 400 083	499 001 966	10000	210/400	1


**Nr kat. 2500****Pojemnik szklany cylindryczny grubościenny**

Nr kat. POCH	Kod 632	d/h mm	Ilość w opakowaniu
S25 000 033	416 310 612	60/120	10
S25 000 029	416 311 010	100/100	6
S25 000 141	416 311 015	100/150	6
S25 000 151	416 311 020	100/200	6
S25 000 135	416 311 212	125/125	6
S25 000 035	416 311 225	125/250	6
S25 000 041	416 311 515	150/150	6
S25 000 251	416 311 520	150/200	6
S25 000 053	416 311 525	150/250	6
S25 000 043	416 311 632	160/320	4
S25 000 351	416 312 020	200/200	2
S25 000 153	416 312 025	200/250	2
S25 000 055	416 312 030	200/300	1
S25 000 051	416 312 040	200/400	1
S25 000 063	416 312 448	240/480	1




Nr kat. 174 Krystalizator bez wylewu**DIN 12 337**


Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 740 007	411 624 040	20	40/25	10
S01 740 013	411 624 050	40	50/30	10
S01 740 021	411 624 060	60	60/35	10
S01 740 029	411 624 070	100	70/40	10
S01 740 041	411 624 080	150	80/45	10
S01 740 055	411 624 095	300	95/55	10
S01 740 063	411 624 115	500	115/65	10
S01 740 071	411 624 140	900	140/75	10
S01 740 075	411 624 190	2000	190/90	4
S01 740 077	411 624 230	3500	230/100	3

Nr kat. 175 Krystalizator z wylewem**DIN 12 338**

Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 750 014	411 625 040	20	40/25	10
S01 750 013	411 625 050	40	50/30	10
S01 750 021	411 625 060	60	60/35	10
S01 750 029	411 625 070	100	70/40	10
S01 750 041	411 625 080	150	80/45	10
S01 750 055	411 625 095	300	95/55	10
S01 750 063	411 625 115	500	115/65	10
S01 750 071	411 625 140	900	140/75	10
S01 750 075	411 625 190	2000	190/90	4
S01 750 077	411 625 230	3500	230/100	3

Nr kat. 177 Parownica z okrągłym dnem, z wylewem**PN 70 0120 94**


Nr kat. POCH	Kod 632	Pojemność ml	d/h mm	Ilość w opakowaniu
S01 770 009	411 604 050	25	51/22	10
S01 770 017	411 604 060	50	64/29	10
S01 770 029	411 604 080	100	85/39	10
S01 770 053	411 604 100	250	105/49	10
S01 770 063	411 604 130	500	131/62	10
S01 770 073	411 604 160	1000	166/80	8
S01 770 075	411 604 200	2000	206/100	4
S01 770 077	411 604 230	3000	235/115	3

Nr kat. 179 Parownica z płaskim dnem, z wylewem**DIN 12 336**



Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S01 790 003	411 629 040	10	40/18	20	10
S01 790 005	411 629 050	15	50/25	25	10
S01 790 015	411 629 060	45	60/30	30	10
S01 790 021	411 629 070	60	70/35	32	10
S01 790 027	411 629 080	90	80/45	35	10
S01 790 045	411 629 095	170	95/55	40	10
S01 790 056	411 629 115	320	115/65	50	10
S01 790 065	411 629 140	600	140/80	60	10
S01 790 089	411 629 190	1500	190/100	80	4
S01 790 077	411 629 230	2500	230/130	100	3

Nr kat. 2290 Szalka Petriego, szkło SIMAX



Nr kat. POCH	Kod 632	d_1 mm	d_2/h mm	Ilość w opakowaniu
S22 900 051	491 001 058	200	190/35	10
S22 900 053	491 001 071	250	240/50	10
S22 900 055	491 001 076	300	288/52	10

**Nr kat. 2296 Szalka Petriego, część dolna podzielona na dwie części, szkło SIMAX**



Nr kat. POCH	Kod 632	d_1 mm	d_2/h mm	Ilość w opakowaniu
S22 960 025	491 005 080	80	75/15	24
S22 960 029	491 005 100	100	94/20	12
S22 960 033	491 005 120	120	114/20	12


**Nr kat. 2297 Szalka Petriego, część dolna podzielona na trzy części, szkło SIMAX**

Nr kat. POCH	Kod 632	d_1 mm	d_2/h mm	Ilość w opakowaniu
S22 970 025	491 006 080	80	75/15	24
S22 970 029	491 006 100	100	94/20	12
S22 970 033	491 006 120	120	114/20	12


**Nr kat. 2298 Szalka Petriego, część dolna podzielona na cztery części, szkło SIMAX**

Nr kat. POCH	Kod 632	d_1 mm	d_2/h mm	Ilość w opakowaniu
S22 980 025	491 007 080	80	75/15	24
S22 980 029	491 007 100	100	94/20	12
S22 980 033	491 007 120	120	114/20	12




**Nr kat. 24****Kolba Erlenmeyera z wąską szyjką****DIN ISO 1773**

Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S00 240 009	411 119 025	25	42/70	22	10
S00 240 017	411 119 050	50	51/85	22	10
S00 240 029	417 119 100	100	64/105	22	10
S00 240 051	411 119 200	200	79/131	34	10
S00 240 053	417 119 250	250	85/140	34	10
S00 240 055	411 119 300	300	87/156	34	10
S00 240 063	417 119 500	500	105/175	34	10
S00 240 073	417 119 940	1000	131/220	42	10
S00 240 075	411 119 950	2000	166/280	50	6
S00 240 077	411 119 952	3000	187/310	50	6
S00 240 081	411 119 956	5000	220/365	50	2

**Nr kat. 25****Kolba Erlenmeyera z szeroką szyjką****DIN 12 385**


Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S00 250 009	411 106 025	25	42/70	32	10
S00 250 017	411 106 050	50	51/85	34	10
S00 250 029	417 106 100	100	64/105	34	10
S00 250 051	411 106 200	200	79/131	50	10
S00 250 053	417 106 250	250	85/135	50	10
S00 250 055	411 106 300	300	87/156	50	10
S00 250 063	417 106 500	500	105/170	50	10
S00 250 073	417 106 940	1000	131/215	50	10
S00 250 075	411 106 950	2000	153/280	72	6

**Nr kat. 8023/C****Kolba Erlenmeyera z nakrętką GL**


Nr kat. POCH	Kod 632	Pojemność ml	GL	d/h mm	Ilość w opakowaniu
S00 230 029	426 731 100	100	25	64/100	10
S00 230 053	426 731 250	250	32	85/140	10
S00 230 063	426 731 500	500	32	105/175	10
S00 230 073	426 731 940	1000	32	131/215	10

Nr kat. 8024 Kolba Erlenmeyera ze szlifem


Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	Ilość w opakowaniu
S80 240 109	426 207 025	25	14/23	42/70	10
S80 240 209	426 207 026	25	19/26	42/70	10
S80 240 117	426 207 050	50	14/23	51/85	10
S80 240 217	426 207 051	50	19/26	51/85	10
S80 240 317	426 207 052	50	29/32	51/85	10
S80 240 129	426 207 100	100	14/23	64/105	10
S80 240 229	426 207 101	100	19/26	64/105	10
S80 240 329	426 207 102	100	29/32	64/105	10
S80 240 351	426 207 200	200	29/32	79/130	10
S80 240 153	426 207 252	250	14/23	85/140	10
S80 240 353	426 207 250	250	29/32	85/140	10
S80 240 453	426 207 251	250	45/40	85/140	10
S80 240 355	426 207 300	300	29/32	87/155	10
S80 240 363	426 207 500	500	29/32	105/175	10
S80 240 463	426 207 501	500	45/40	105/175	10
S80 240 373	426 207 940	1000	29/32	131/215	10
S80 240 473	426 207 941	1000	45/40	131/215	10
S80 240 375	426 207 950	2000	29/32	166/275	6
S80 240 475	426 207 951	2000	45/40	166/275	6

**Nr kat. 8131 Kolba do próby jodowej, z korkiem ze szlifem**


Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	Ilość w opakowaniu
S84 810 017	426 210 050	50	19/26	51/85	10
S84 810 029	426 210 100	100	19/26	64/105	10
S84 810 053	426 210 250	250	29/32	85/140	10
S84 810 063	426 210 500	500	29/32	105/175	10
S84 810 073	426 210 940	1000	29/32	131/215	10


**Nr kat. 10 Kolba z płaskim dnem, wąską szyjką, z obrzeżem ISO 1773**

Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S00 100 0 17	411 117 050	50	51/100	22	10
S00 100 0 29	417 117 100	100	64/110	22	10
S00 100 0 53	417 117 250	250	85/140	34	10
S00 100 0 63	417 117 500	500	105/170	34	10
S00 100 0 73	411 117 940	1000	131/200	42	10
S00 100 0 75	411 117 950	2000	166/250	50	6
S00 100 0 79	411 117 954	4000	207/300	50	2
S00 100 0 82	411 117 958	6000	236/340	65	2
S00 100 0 83	411 117 966	10000	279/400	65	1


**Nr kat. 18 Kolba z płaskim dnem, szeroką szyjką, z obrzeżem**

Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S00 180 017	411 103 050	50	51/100	34	10
S00 180 029	411 103 100	100	64/110	34	10
S00 180 053	411 103 250	250	85/140	50	10
S00 180 063	411 103 500	500	105/170	50	10
S00 180 073	411 103 940	1000	131/200	50	10
S00 180 075	411 103 950	2000	166/250	76	6




Nr kat. 8003**Kolba kulista z płaskim dnem, ze szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	ISO 4797 Ilość w opakowaniu
S80 030 117	426 217 050	50	14/23	51/100	10
S80 030 217	426 217 051	50	19/26	51/100	10
S80 031 217	426 217 052	50	29/32	51/100	10
S80 030 129	426 217 100	100	14/23	64/110	10
S80 030 229	426 217 101	100	19/26	64/110	10
S80 030 329	426 217 102	100	29/32	64/110	10
S80 030 353	426 217 250	250	29/32	85/140	10
S80 030 553	426 217 251	250	45/40	85/140	10
S80 030 363	426 217 500	500	29/32	105/170	10
S80 030 463	426 217 501	500	45/40	105/170	10
S80 030 373	426 217 940	1000	29/32	131/200	10
S80 031 573	426 217 941	1000	45/40	131/200	10
S80 030 375	426 217 950	2000	29/32	166/250	6
S80 030 475	426 217 951	2000	45/40	166/250	6
S80 030 479	426 217 954	4000	45/40	207/300	2
S80 030 082	426 217 958	6000	60/46	236/340	2
S80 030 083	426 217 966	10000	60/46	279/400	1

**Nr kat. 15****Kolba kulista z okrągłym dnem, wąską szyjką, z obrzeżem****DIN ISO 1773**


Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ mm	Ilość w opakowaniu
S00 150 017	411 205 050	50	51/105	22	10
S00 150 029	411 205 100	100	64/115	22	10
S00 150 053	411 205 250	250	85/145	34	10
S00 150 063	411 205 500	500	105/175	34	10
S00 150 073	411 205 940	1000	131/210	42	10
S00 150 075	411 205 950	2000	166/260	50	6
S00 150 079	411 205 954	4000	207/315	50	2
S00 150 082	411 205 958	6000	236/355	65	2
S00 150 083	411 205 966	10000	279/420	65	1

Nr kat. 8004**Kolba kulista z okrągłym dnem, ze szlifem****ISO 4797**


Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	Ilość w opakowaniu
S80 040 117	426 219 050	50	14/23	51/105	10
S80 040 217	426 219 051	50	19/26	51/105	10
S80 040 317	426 219 052	50	29/32	51/105	10
S80 040 129	426 219 100	100	14/23	64/115	10
S80 040 229	426 219 101	100	19/26	64/115	10
S80 040 329	426 219 102	100	29/32	64/115	10
S80 040 353	426 219 250	250	29/32	85/145	10
S80 040 453	426 219 251	250	45/40	85/145	10
S80 040 363	426 219 500	500	29/32	105/175	10
S80 040 463	426 219 501	500	45/40	105/175	10
S80 040 373	426 219 940	1000	29/32	131/210	10
S80 040 473	426 219 941	1000	45/40	131/210	10
S80 040 375	426 219 950	2000	29/32	166/260	6
S80 040 475	426 219 951	2000	45/40	166/260	6
S80 040 479	426 219 954	4000	45/40	207/315	2
S80 040 582	426 219 958	6000	60/46	236/355	2
S80 040 583	426 219 966	10000	60/46	279/420	1

Nr kat. 8026 Kolba mikro (odbieralnik) z okrągłym dnem


Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	Ilość w opakowaniu
S80 260 003	426 371 010	10	14/23	32/50	100
S80 260 009	426 371 025	25	14/23	42/60	100
S80 260 017	426 371 050	50	14/23	54/74	100
S80 260 029	426 371 100	100	14/23	65/88	90
S80 260 053	426 371 250	250	14/23	90/116	32

**Nr kat. 8027 Kolba w kształcie serca, ze szlifem**


Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	h mm	Ilość w opakowaniu
S80 270 003	426 372 010	10	14/23	62	100
S80 270 009	426 372 025	25	14/23	75	100
S80 270 017	426 372 050	50	14/23	88	100
S80 270 029	426 372 100	100	14/23	103	60
S80 270 053	426 372 250	250	14/23	130	32


**Nr kat. 8029 Kolba do wkraplacza, ze szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	Szlif SJ mm	d/h mm	Ilość w opakowaniu
S80 290 003	426 374 010	10	14/23	26/60	100
S80 290 009	426 374 025	25	14/23	34/80	100
S80 290 017	426 374 050	50	14/23	42/100	100
S80 290 029	426 374 100	100	14/23	52/123	60
S80 290 053	426 374 250	250	14/23	72/170	32


**Nr kat. 51 Kolba Kjeldahla bez szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	d, h mm	d ₂ mm	Ilość w opakowaniu
S00 510 017	411 210 050	50	49/200	22	10
S00 510 029	411 210 100	100	60/200	34	10
S00 510 053	411 210 250	250	81/270	34	10
S00 510 063	411 210 500	500	101/300	34	10
S00 510 073	411 210 940	1000	126/350	34	7




Nr kat. 41/A**Kolba destylacyjna z ramieniem dolnym w 1/3 szyjki**

Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ /h ₁ mm	l mm	Ilość w opakowaniu
S00 411 009	425 220 025	25	41/110	22/46	200	10
S00 411 017	425 220 050	50	51/120	22/46	200	10
S00 411 029	425 220 100	100	64/150	22/58	200	10
S00 411 053	425 220 250	250	85/200	34/76	200	10
S00 411 063	425 220 500	500	105/250	34/96	200	10
S00 411 073	425 220 940	1000	131/300	34/112	250	8

**Nr kat. 41/B****Kolba destylacyjna z ramieniem górnym w środku szyjki**


Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ /h ₁ mm	l mm	Ilość w opakowaniu
S00 412 009	425 221 025	25	41/110	22/35	200	10
S00 412 017	425 221 050	50	51/120	22/35	200	10
S00 412 031	425 221 100	100	64/150	22/44	200	10
S00 412 053	425 221 250	250	85/200	34/57	200	10
S00 412 063	425 221 500	500	105/250	34/72	200	10
S00 412 073	425 221 940	1000	131/300	34/84	250	8

**Nr kat. 42****Kolba destylacyjna Englera**

Nr kat. POCH	Kod 632	Pojemność ml	d ₁ /h mm	d ₂ /h ₁ mm	l mm	Ilość w opakowaniu
S00 420 029	425 223 100	75/100	64/215	20	100	10
S00 420 017	425 223 250	65/250	85/215	20	100	10


Nr kat. 8016 **Kolba destylacyjna, kulista, trójszyjna, szyje proste, ze szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	SJ ₁ mm	SJ ₂ - SJ ₃ mm - mm	Ilość w opakowaniu
S80 160 053	426 222 250	250	29/32	14/23 - 14/23	10
S80 160 063	426 222 500	500	29/32	14/23 - 14/23	10
S80 160 073	426 222 940	1000	29/32	14/23 - 29/32	10
S80 160 075	426 222 950	2000	29/32	14/23 - 29/32	8
S80 160 079	426 222 954	4000	45/40	14/23 - 29/32	6
S80 160 082	426 222 958	6000	60/46	14/23 - 29/32	3



Nr kat. 8017 **Kolba destylacyjna, kulista, dwuszyjna, jedna szyjka skośna, ze szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	SJ ₁ mm	SJ ₂ mm	Ilość w opakowaniu
S80 170 053	426 223 250	250	29/32	14/23	10
S80 170 063	426 223 500	500	29/32	14/23	10
S80 170 073	426 223 940	1000	29/32	14/23	10
S80 170 075	426 223 950	2000	29/32	14/23	8
S80 170 079	426 223 954	4000	45/40	14/23	6
S80 170 082	426 223 958	6000	60/46	14/23	3



Nr kat. 8022 **Kolba do sulfonowania, ze szlifem**

Nr kat. POCH	Kod 632	Pojemność ml	SJ ₁ mm	SJ ₂ - SJ ₃ mm - mm	Ilość w opakowaniu
S80 220 063	426 707 500	500	45/40	14/23 - 14/23	10
S80 220 089	426 707 945	1500	71/51	29/32 - 14/23	8
S80 220 077	426 707 951	2500	71/51	29/32 - 14/23	6
S80 220 079	426 707 954	4000	71/51	29/32 - 14/23	3
S80 220 082	426 707 958	6000	71/51	29/32 - 14/23	2

